L Number	Hits	Search Text	DB	Time stamp
-	1	(framework.asn. or conductive.asn. or datalex.asn) and ("business logic" same	USPAT; US-PGPUB;	2004/07/08 17:16
		script\$5)	EPO; JPO; DERWENT; IBM TDB	
_	0	"09676045"	USPAT; US-PGPUB; EPO; JPO;	2004/07/08 17:07
_	88	(framework.asn. or conductive.asn. or	DERWENT; IBM_TDB USPAT;	2004/07/08
		datalex.asn)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	17:16
_	1	<pre>((framework.asn. or conductive.asn. or datalex.asn)) and (rule\$1 or rule\$1based or guidline\$1 or predetermin\$3) same (script\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/08 17:29
-	1	2001WO-US30472	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/08 17:25
-	36	"6199195"	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/08 17:26
-	209	(business with logic\$2) and (rule\$1 or rule\$1based or guidline\$1 or predetermin\$3) same (script\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/08 17:54
_	188	((business with logic\$2) and (rule\$1 or rule\$1based or guidline\$1 or predetermin\$3) same (script\$3)) and configur\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/08 17:41
-	115	rule\$1based or guidline\$1 or predetermin\$3) same (script\$3)) and configur\$5) and distributed same (customiz\$5 or flexibl\$4 or implement\$5 or different or rewrit\$4 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:43
_	67	rule\$1based or guidline\$1 or predetermin\$3) same (script\$3)) and configur\$5) and distributed same (customiz\$5 or flexibl\$4 or implement\$5 or different or rewrit\$4 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:36
_	33	or rule\$1based or guidline\$1 or predetermin\$3) same (script\$3)) and configur\$5) and distributed same (customiz\$5 or flexibl\$4 or implement\$5 or different or rewrit\$4 or re\$1implemenent\$5)) and xml) and (@ad<20000927 or @rlad<20000927 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:41
	118	<pre>@prad<20000927) ((business with logic\$2) and (rule\$1 or rule\$1based or guidline\$1 or predetermin\$3) same (script\$3)) and (@ad<20000927 or @rlad<20000927 or @prad<20000927)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/08 17:56

-	105	(((business with logic\$2) and (rule\$1 or	USPAT;	2004/07/08
	ļ	rule\$1based or guidline\$1 or	US-PGPUB;	17:41
		predetermin\$3) same (script\$3)) and (@ad<20000927 or @rlad<20000927 or	EPO; JPO; DERWENT;	
	1	(ead<20000927 of effad<20000927 of effad<20000927 of effad<20000927) and configur\$5	IBM TDB	
_	72	((((business with logic\$2) and (rule\$1 or	USPAT;	2004/07/08
		rule\$1based or guidline\$1 or	US-PGPUB;	17:51
		predetermin\$3) same (script\$3)) and	EPO; JPO;	
		(@ad<20000927 or @rlad<20000927 or	DERWENT;	
		@prad<20000927)) and configur\$5) not	IBM_TDB	
		(((((business with logic\$2) and (rule\$1		
-		or rule\$1based or guidline\$1 or		
		predetermin\$3) same (script\$3)) and		
		configur\$5) and distributed same (customiz\$5 or flexibl\$4 or implement\$5		
		or different or rewrit\$4 or		
		re\$1implemenent\$5)) and xml) and		
		(@ad<20000927 or @rlad<20000927 or		
		@prad<20000927))		
-	0	"61411660"	USPAT;	2004/07/08
			US-PGPUB;	17:52
			EPO; JPO;	
			DERWENT;	
		WC1.41.CCOU	IBM_TDB	2004/07/00
-	32	"6141660"	USPAT; US-PGPUB;	2004/07/08
			EPO; JPO;	11.32
			DERWENT;	
			IBM TDB	
-	109	((business with logic\$2) or (rule\$1 or	USPAT;	2004/07/08
		rule\$1based or guidline\$1 or	US-PGPUB;	17:56
		predetermin\$3) or(script\$3)or configur\$5	EPO; JPO;	
1		or distribut\$3) and ("6141660" or	DERWENT;	
		"6199195" or "6112126" or "5960200")	IBM_TDB	2004/07/00
-	90	1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	20.04/07/08
		rule\$1based or guidline\$1 or	US-PGPUB;	18:44
		predetermin\$3) or(script\$3)or configur\$5 or distribut\$3) and ("6141660" or	EPO; JPO; DERWENT;	
		"6199195" or "6112126" or "5960200")) and	IBM TDB	
		(@ad<20000927 or @rlad<20000927 or		
		@prad<20000927)		
-	2	distribut\$3 and "6553563"	USPAT;	2004/07/08
			US-PGPUB;	18:25
			EPO; JPO;	
			DERWENT;	
1_	4.4	(//business with legist2) on /mulet1 or	IBM_TDB USPAT;	2004/07/08
1	44	(((business with logic\$2) or (rule\$1 or rule\$1based or guidline\$1 or	US-PGPUB;	18:46
1		predetermin\$3) or(script\$3)or configur\$5	EPO; JPO;	10.10
		or distribut\$3) and ("6141660" or	DERWENT;	
		"6199195" or "6112126" or "5960200")) and	IBM TDB	
1		distributed same (customiz\$5 or flexibl\$4	_	
		or implement\$5 or different or rewrit\$4		
	1	or re\$1implemenent\$5)		0004407455
_	22	((((business with logic\$2) or (rule\$1 or	USPAT;	2004/07/08
		rule\$1based or guidline\$1 or	US-PGPUB;	18:44
		<pre>predetermin\$3) or(script\$3)or configur\$5 or distribut\$3) and ("6141660" or</pre>	EPO; JPO; DERWENT;	
		or distribut\$3	IBM TDB	
		distributed same (customiz\$5 or flexibl\$4	12.1_12.1	
		or implement\$5 or different or rewrit\$4		
1		or re\$limplemenent\$5)) and xml		
-	16	(((((business with logic\$2) or (rule\$1 or	USPAT;	2004/07/08
1		rule\$1based or guidline\$1 or	US-PGPUB;	18:46
		predetermin\$3) or (script\$3) or configur\$5	EPO; JPO;	
1		or distribut\$3) and ("6141660" or	DERWENT;	
		"6199195" or "6112126" or "5960200")) and	IBM_TDB	
1		distributed same (customiz\$5 or flexibl\$4 or implement\$5 or different or rewrit\$4		
1		or implements or different of fewfits4 or re\$1implemenent\$5)) and xml) and		
		(@ad<20000927 or @rlad<20000927 or		
		(ead<20000927 of effact20000927 of effact200000927 of effact200000927 of effact2000000927 of effact2000000000000000000000000000000000000		
		1 01 1000001/		.1

Search History

7/9/04 5:22:16 PM

-	19	(((business with logic\$2) or (rule\$1 or rule\$1based or guidline\$1 or predetermin\$3) or (script\$3)or configur\$5 or distribut\$3) and ("6141660" or "6199195" or "6112126" or "5960200")) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/08 18:46
_	18	distributed same (exten\$5) ((((business with logic\$2) or (rule\$1 or rule\$1based or guidline\$1 or predetermin\$3) or(script\$3)or configur\$5 or distribut\$3) and ("6141660" or "6199195" or "6112126" or "5960200")) and distributed same (exten\$5)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:50
_	504789	(@ad<20000927 or @rlad<20000927 or @prad<20000927) (install\$5 or configur\$5) same (perform\$5 or requir\$5 or predetermin\$4 or rule\$1 or	USPAT; US-PGPUB;	2004/07/09 07:55
		rule\$1based or guidlin\$3) and (conver\$4 or modif\$6 or transfer\$4 or customi\$5 or flexib\$4)	EPO; JPO; DERWENT; IBM TDB	
_	2017	(install\$5 or configur\$5) same (perform\$5 or requir\$5 or predetermin\$4 or rule\$1 or rule\$1based or guidlin\$3) and (conver\$4 or modif\$6 or transfer\$4 or customi\$5 or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/09 08:00
_	1939	flexib\$4) and (@ad<20000927 or @rlad<20000927 or @prad<20000927) and xml ((install\$5 or configur\$5) same (perform\$5 or requir\$5 or predetermin\$4 or rule\$1 or rule\$1based or guidlin\$3) and (conver\$4 or modif\$6 or transfer\$4 or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/09 07:56
_	898	customi\$5 or flexib\$4) and (@ad<20000927 or @rlad<20000927 or @prad<20000927) and xml) and (exten\$5 or base or derived or inherit\$5)	IBM_TDB USPAT;	2004/07/09
		(perform\$5 or requir\$5 or predetermin\$4 or rule\$1 or rule\$1based or guidlin\$3) and (conver\$4 or modif\$6 or transfer\$4 or customi\$5 or flexib\$4) and (@ad<20000927 or @rlad<20000927 or @prad<20000927) and xml) and (exten\$5 or base or derived or	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	07:57
	671	inherit\$5)) and script\$3 ((((install\$5 or configur\$5) same (perform\$5 or requir\$5 or predetermin\$4 or rule\$1 or rule\$1based or guidlin\$3) and (conver\$4 or modif\$6 or transfer\$4 or customi\$5 or flexib\$4) and (@ad<20000927 or @rlad<20000927 or @prad<20000927) and xml) and (exten\$5 or base or derived or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:58
-	594	inherit\$5)) and script\$3) and (pre\$1determin\$3 or pre\$1defin\$3) (((((install\$5 or configur\$5) same (perform\$5 or requir\$5 or predetermin\$4 or rule\$1 or rule\$1based or guidlin\$3) and (conver\$4 or modif\$6 or transfer\$4 or customi\$5 or flexib\$4) and (@ad<20000927 or @rlad<20000927 or @prad<20000927) and xml) and (exten\$5 or base or derived or inherit\$5)) and script\$3) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:58
_	320	<pre>(pre\$1determin\$3 or pre\$1defin\$3)) and distribut\$3 ((((((install\$5 or configur\$5) same (perform\$5 or requir\$5 or predetermin\$4 or rule\$1 or rule\$1based or guidlin\$3) and (conver\$4 or modif\$6 or transfer\$4 or customi\$5 or flexib\$4) and (@ad<20000927 or @rlad<20000927 or @prad<20000927) and</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 08:00
		<pre>xml) and (exten\$5 or base or derived or inherit\$5)) and script\$3) and (pre\$1determin\$3 or pre\$1defin\$3)) and distribut\$3) and script\$3 same (rule\$1 or logic\$1 or component\$1 or modu\$3)</pre>		

r	 			0004/07/00
-	2017	(install\$5 or configur\$5) same (perform\$5	USPAT;	2004/07/09
		or requir\$5 or predetermin\$4 or rule\$1 or	US-PGPUB;	08:00
ļ		rule\$2based or guidlin\$3) and (conver\$4	EPO; JPO;	
		or modif\$6 or transfer\$4 or customi\$5 or	DERWENT;	
		flexib\$4) and (@ad<20000927 or	IBM_TDB	
		@rlad<20000927 or @prad<20000927) and xml	_	
_	14	(((((((install\$5 or configur\$5) same	USPAT;	2004/07/09
		(perform\$5 or requir\$5 or predetermin\$4	US-PGPUB;	08:01
		or rule\$1 or rule\$1based or guidlin\$3)	EPO; JPO;	
		and (conver\$4 or modif\$6 or transfer\$4 or	DERWENT;	
		customi\$5 or flexib\$4) and (@ad<20000927	IBM TDB	
		or @rlad<20000927 or @prad<20000927) and	12155	
		xml) and (exten\$5 or base or derived or		
		inherit\$5)) and script\$3) and		
		_ ' ' ' - ' '		
		(pre\$1determin\$3 or pre\$1defin\$3)) and		
		distribut\$3) and script\$3 same (rule\$1 or		
		logic\$1 or component\$1 or modu\$3)) and		
		xml same configur\$5) and call\$1back		
-	82	((((((install\$5 or configur\$5) same	USPAT;	2004/07/09
		(perform\$5 or requir\$5 or predetermin\$4	US-PGPUB;	14:14
		or rule\$1 or rule\$1based or guidlin\$3)	EPO; JPO;	
		and (conver\$4 or modif\$6 or transfer\$4 or	DERWENT;	
		customi\$5 or flexib\$4) and (@ad<20000927	IBM TDB	
		or @rlad<20000927 or @prad<20000927) and	_	
		xml) and (exten\$5 or base or derived or		
		inherit\$5)) and script\$3) and		
		(pre\$1determin\$3 or pre\$1defin\$3)) and		
		distribut\$3) and script\$3 same (rule\$1 or		
		logic\$1 or component\$1 or modu\$3)) and		
		xml same configur\$5		
_	0	"09966903"	USPAT;	2004/07/09
~		09900903	US-PGPUB;	14:15
				17.17
			EPO; JPO;	-
1			DERWENT;	
			IBM_TDB	
-	2	"20020129345"	USPAT;	2004/07/09
			US-PGPUB;	14:15
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	